3 1

CHLOROACETALDEHYDE

UN 2232

Shipping Name: 2-Chloroethanal Other Names: 2-Chloroacetaldehyde

Chloroacetaldehyde monomer

Chloroaldehyde Chloroethanal



Hazards:

- Severely irritating to skin, eyes, nose and lungs; skin and eve contact can cause severe burns and blindness
- Fire fighting gear (including SCBA) does not provide adequate protection. If exposure occurs, remove and isolate gear immediately and thoroughly decontaminate personnel
- Container may BLEVE when exposed to fire
- Vapors are heavier than air and will collect and stay in low areas
- Combustion products include toxic hydrogen chloride

Awareness and Operational Level Training Response:

- Stay upwind and uphill
- Determine the extent of the problem
- Isolate the area of release or fire and deny entry
- Remove all ignition sources
- For container exposed to fire evacuate the area in all directions because of the risk of BLEVE
- Evacuate or shelter in place the immediate area and downwind for a large release
- Notify local health and fire officials and pollution control agencies
- If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated water

Description:

- Clear colorless liquid
- Pungent odor
- Initally sinks in water and is soluble in water
- Verv flammable
- Vapors are heavier than air and will collect and stay in low areas
- Freezes at 3° F
- Produces large amounts of vapor

Operational Level Training Response:

RELEASE, NO FIRE:

- Stop the release if it can be done safely from a distance
- Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release
- Use large amounts of water to disperse vapors contain runoff
- Consider the application of alcohol resistant (AFFF) foam to spilled liquid to control vapors
- Ventilate confined area if it can be done without placing personnel at risk

FIRE:

- Specially trained personnel operating from a safe distance can fight fires using alcohol resitant (AFFF) foam or dry chemical if available in sufficient amounts or use fog streams to extinguish burning liquid or dilute to a nonflammable mixture. Keep exposures cool to protect against re-ignition. Do not direct straight streams into the liquid.
- Cool exposed containers with large quantities of water from unattended equipment or remove intact containers if it can be done safely
- If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of expanding), withdraw immediately to a secure location

First Aid:

- Do not put yourself in danger by entering a contaminated area to rescue a victim
- Provide Basic Life Support/CPR as needed
- Decontaminate the victim as follows:
 - Inhalation remove the victim to fresh air and give oxygen if available
 - Skin remove and isolate contaminated clothing (including shoes) and wash skin with soap and large volumes of water for 15 minutes
 - Eye rinse eyes with large volumes of water or saline for 15 minutes
 - ♦ Swallowed do not make the victim vomit
- Seek medical attention
- Toxic effects may be delayed
- For skin burns decontaminate with water and apply a clean dry dressing

CAS: 107-20-0